

SUZZARABLUE 3 RANGE

DEF IBC TOTE PUMP KIT

After decades of DEF equipment expertise, PIUSI presents its brand new, optimized, **SUZZARABLUE 3 (SB3) range**; the perfect combination of the quick and easy SUZZARABLUE IBC TOTE kits and the rugged reliability of the PIUSI THREE25.

The best of both worlds combined in an array of kit configurations:

- **THREE25 SB325_X** metered nozzle & 3D FILTER
- **PRO A60** stainless nozzle & K24 meter
- **BASIC+ A60** stainless nozzle
- **BASIC** manual nozzle

PIUSI

®

MADE IN ITALY

EVOLUTION OF THE RANGE

The **SB3** range is **one-of-a-kind** for its variety of accessories and features.

The nozzles, filters and meters distinguish this new product range in the marketplace.

All kit configurations share several highlighted features:

- **Robust bracket design**
- **Reliability and performance** in demanding applications
- **Close-loop clean system design**
- **Integrated 3D filter***
- **Quick-and-easy installation**
- **Industry's top DEF** membrane pump

* THREE25 KITS ONLY



COMPONENT HIGHLIGHTS



REINFORCED CASING AND WIDENED HOSE HOLDER

The **SB3** includes a **sturdy and sleek bracket & frame**. The frame is made of high-quality, **shock-resistant** technopolymer material to **protect** the pump and all the elements of the system. The handle design ensures **ergonomic grip and flexibility**.

The bracket also features a mechanical IBC lock to secure the kit to the IBC tote for safe operation. It also has a **widened hose holder**, which makes winding up the dispense hose easier and more efficient.



NOZZLES

SB325_X METER

Due to its features and materials, this nozzle is extremely light, ergonomic and heavy-duty; suitable for use in the toughest conditions and subject to shocks, impacts and loads. Body, lever, spout and break-away system display the robustness you expect from a professional system.

A60

Automatic nozzle suitable to dispense DEF featuring a device that stops the dispensing when the tank is full. It comes with a hose-tail fitting, and is available with swivel.

MANUAL

Basic version of SUZZARABLUE nozzles designed to dispense DEF. Among the manual devices, it is distinguished by its high efficiency thanks to the low flow resistance, and a very inexpensive operation.

PIUSI THREE25

PERFORMANCE

- **FLOW RATE:**
UP TO 9 GPM
- **POWER, VOLTAGE:**
120V AC / 12V DC
- **6.5 MINUTE TIMER BOARD (120V VERSIONS)**
- **WORKING CYCLE:**
20 MINUTES ON
20 MINUTES OFF
- **FILTRATION:**
3D FILTER

COMPONENTS

- **PUMP:**
SUZZARABLUE
MEMBRANE AC/DC
- **REINFORCED BRACKET**
- **HOSES:**
20 FEET DISPENSE HOSE
5 FEET SUCTION HOSE
(CRIMPED)
- **NOZZLE:**
SB325_X
- **FILTER:**
3D FILTER
- **SUCTION CONNECTION:**
PDC COUPLER



SUZZARABLUE 3 PRO

PERFORMANCE

- **FLOW RATE:**
UP TO 9 GPM
- **POWER, VOLTAGE:**
120V AC / 12V DC
- **6.5 MINUTE TIMER BOARD (120V VERSIONS)**
- **WORKING CYCLE:**
20 MINUTES ON
20 MINUTES OFF

COMPONENTS

- **PUMP:**
SUZZARABLUE
MEMBRANE AC/DC
- **REINFORCED BRACKET**
- **HOSES:**
20 FEET DISPENSE HOSE
5 FEET SUCTION HOSE
- **NOZZLE:**
A60
- **METER:**
K24



SUZZARABLUE 3 BASIC+

PERFORMANCE

- **FLOW RATE:**
UP TO 9 GPM
- **POWER, VOLTAGE:**
120V AC
- **6.5 MINUTE TIMER BOARD**
- **WORKING CYCLE:**
20 MINUTES ON
20 MINUTES OFF

COMPONENTS

- **PUMP:**
SUZZARABLUE
MEMBRANE AC/DC
- **REINFORCED BRACKET**
- **HOSES:**
20 FEET DISPENSE HOSE
5 FEET SUCTION HOSE
- **NOZZLE:**
A60



SUZZARABLUE 3 BASIC

PERFORMANCE

- **FLOW RATE:**
UP TO 9 GPM
- **POWER, VOLTAGE:**
120V AC / 12V DC
- **6.5 MINUTE TIMER BOARD (120V VERSIONS)**
- **WORKING CYCLE:**
20 MINUTES ON
20 MINUTES OFF

COMPONENTS

- **PUMP:**
SUZZARABLUE
MEMBRANE AC/DC
- **REINFORCED BRACKET**
- **HOSES:**
20 FEET DISPENSE HOSE
5 FEET SUCTION HOSE
- **NOZZLE:**
MANUAL



ACCESSORIES IN THE RANGE

THE RANGE ALSO INCLUDES A SPECIFIC ASSORTMENT OF ACCESSORIES:

- IBC SUCTION CONNECTIONS:
 - PDC
 - MICRO MATIC RSV
 - MICRO MATIC RPV
- SPECIFIC DEF SUCTION HOSES;
- MIS-FILL SPOUT OPTION;
(SB325_X NOZZLES ONLY)



PDC
F1891000A



MICRO MATIC RSV
F1536000



MICRO MATIC RPV
F20436000



6" DUAL BUNG IBC COVER
F20437000



6" SINGLE BUNG IBC COVER
F20226000



RSV CONTAINER VALVE
F17137000



RSV DOWN TUBE
F15515020



MISFILLING KIT
F19174000



3D FILTER CARTRIDGE
FOO611D40



K24 FOR ADBLUE®
FOO407340

AVAILABLE NOZZLES*



SB325_X
FOO61700A



A60
FOO61903B



**SUZZARABLU
MANUAL NOZZLE**
F14761000

(*) INCLUDED IN PUMP KITS, AND ALSO AVAILABLE SEPARATELY

TECHNICAL DATA



| PART NUMBER | DESCRIPTION | VOLTAGE | METER | NOZZLE | 3D FILTER | IBC CONNECTOR | HOSE | |
|-------------|-------------------------------|------------|---------------|---------------|-----------|---------------|----------------------|----------------------|
| | | | | | | | SUCTION | DELIVERY |
| FOO201A2J | SUZZ.BLUE3 BASIC 120/60 M.NOZ | 120V 60Hz | NO | MANUAL | NO | NO | 5FT 3/4" | 20FT 3/4" |
| FOO201A9C | SUZZ.BLUE3 BASIC 12V M.NOZ | 12V | NO | MANUAL | NO | NO | 5FT 3/4" | 20FT 3/4" |
| FOO201A5J | SUZZ.BLUE3 BASIC 120/60 A60 + | 120V 60 Hz | NO | A60 | NO | NO | 5FT 3/4" | 20FT 3/4" |
| FOO201A8C | SUZZ.BLUE3 PRO 12V A60 K24 | 12V | K24 | A60 | NO | NO | 5FT 3/4" | 20FT 3/4" |
| FOO201A1J | SUZZ.BLUE3 PRO 120/60 A60 K24 | 120V 60 Hz | K24 | A60 | NO | NO | 5FT 3/4" | 20FT 3/4" |
| FOO101A1A | THREE25 12 V | 12V | SB325_X METER | SB325_X METER | YES | PDC | 4FT 1" BSP F CRIMPED | 4FT 1" BSP F CRIMPED |
| FOO101A0H | THREE25 120/60 | 120V 60 Hz | SB325_X METER | SB325_X METER | YES | PDC | 4FT 1" BSP F CRIMPED | 4FT 1" BSP F CRIMPED |



Follow us:

@piusiofficial

