AIR BLOW CHECK VALVES



SSABCV-Size-Alloy (Type A)



SSABCV-FNPT-Size-Alloy (B)



SSABCV-RHB-Size-Alloy (Type C)



Air Blow, Y-Ball, Check Valve

Sanitary Solutions stocks:

Sizes: 1.5", 2", 2.5", 4", 6.00"

Alloy: T316L

Types of Air Blow Check Valves:

EPDM Stem Seat & Gasket

Conforms to 3-A Standards

Type A or with 3/8" Air Line Coupler Type B with ½" Female NPT Connection Type C with Rubber Hose Barb Connection


Sanitary Solutions Air Blow Check Valves conform to 3-A practices and are designed to evacuate lines of product or Clean in Place solutions and provide air movement to product in either a tank or other form of vessel.

www.sanitarysolutions.com

Sanitary Solutions Inc. 1-888-909-3569 or 1-855-640-7871 Prices are subject to change without notice; please call before you quote



Air Blow Check Valve Dimensions



Size	Α	В	C (PLUG)	C (FNPT)	C (HOSE BARB)
1"	1.984" (50.39mm)	1.299" (33.0mm)	1.260" (32.0mm)	0.626" (15.9mm)	1.689" (43.0mm)
1 1/2"	1.984" (50.39mm)	1.299" (33.0mm)	1.260" (32.0mm)	0.626" (15.9mm)	1.689" (43.0mm)
2 "	2.516" (63.91mm)	1.299" (33.0mm)	1.260" (32.0mm)	0.626" (15.9mm)	1.689" (43.0mm)
2 1/2"	3.047" (77.39mm)	1.299" (33.0mm)	1.260" (32.0mm)	0.626" (15.9mm)	1.689" (43.0mm)
4 "	4.682" (118.92mm)	1.299" (33.0mm)	1.260" (32.0mm)	0.626" (15.9mm)	1.689" (43.0mm)

www.sanitarysolutions.com Sanitary Solutions Inc. 1-888-909-3569 or 1-855-640-7871 Prices are subject to change without notice; please call before you quote

Material L	2 4 4 4 0	4C 4B 00 00	AD
	2 4 4 0		4D
	IA IB	_1C	
Item	Discription	Material	Quantity
Item 1A	Discription 1/4" air line quick connect	Material 316L	Quantity 1
Item 1A 1B	1/4" air line quick connect	and the second se	Quantity 1 1
1A		316L	1
1A 1B	1/4" air line quick connect 1/2" NPT cap	316L 316L	1
1A 1B 1C	1/4" air line quick connect 1/2" NPT cap 1" hose barb	316L 316L 316L	1 1 1
1A 1B 1C 2	1/4" air line quick connect 1/2" NPT cap 1" hose barb single pin clamp	316L 316L 316L CF8	1 1 1 1 1
1A 1B 1C 2 3	1/4" air line quick connect 1/2" NPT cap 1" hose barb single pin clamp valve body	316L 316L 316L CF8 316L	1 1 1 1 1 1
1A 1B 1C 2 3 4	1/4" air line quick connect 1/2" NPT cap 1" hose barb single pin clamp valve body perforated disc	316L 316L 316L CF8 316L EPDM/316L	1 1 1 1 1 1 1 1

Note: Sanitary Solutions stocks a full line of repair kits consisting of: 1-- T304 SS Spring, 1-- EPDM/316L SS Perforated Disc,1-- Nylon Stem Guide 1-- T304 SS Spring Retainer, 1-- EPDM/316L Stem & Plug

Sanitary Solutions Repair Kit # SSABCV-RK-SIZE

www.sanitarysolutions.com

Sanitary Solutions Inc. 1-888-909-3569 or 1-855-640-7871 Prices are subject to change without notice; please call before you quote

